



XMM - OM - IMAGING - Filename: product/P0511180301OMS009SPECTR9000.FIT
- Obs ID: 0511180301 - Exp ID: 0511180301009 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 6.341667 - DEC: 64.14 - XY= [616, 198]
Start: 2008-01-03T03:54:44.000 - Stop: 2008-01-03T04:11:24.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01341901 - Aver.Err.= 6.695×10^{-4}



BACKGROUND RATES - Mean value= 2.84254×10^{-3} - Aver.Err.= 3.2812×10^{-4}



XMM - OM - IMAGING - Filename: product/P0511180301OMS009SPECTR9000.FIT
- Obs ID: 0511180301 - Exp ID: 0511180301009 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 6.341667 - DEC: 64.14 - XY= [616, 198]
Start: 2008-01-03T03:54:44.000 - Stop: 2008-01-03T04:11:24.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.08190132\text{E}-15$ - Aver.Err.= $3.22665290\text{E}-16$

Time dependent sensitivity correction=1.030

