



XMM - OM - IMAGING - Filename: product/P0155560301OMS005SPECTR0000.FIT  
- Obs ID: 0155560301 - Exp ID: 0155560301005 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 237.9995415 - DEC: 32.9483333 - XY= [ 240, 68] - Object: TARGET  
Start: 2002-08-11T14:35:38.000 - Stop: 2002-08-11T14:52:18.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.19935734 - Aver.Err.= $6.21875 \times 10^{-3}$



BACKGROUND RATES - Mean value= $3.0968 \times 10^{-3}$  - Aver.Err.= $8.0745 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0155560301OMS005SPECTR0000.FIT  
- Obs ID: 0155560301 - Exp ID: 0155560301005 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 237.9995415 - DEC: 32.9483333 - XY= [ 240, 68] - Object: TARGET  
Start: 2002-08-11T14:35:38.000 - Stop: 2002-08-11T14:52:18.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $5.53436528\text{E-}13$  - Aver.Err.=  $3.64777788\text{E-}14$

Time dependent sensitivity correction=1.013

