



XMM - OM - IMAGING - Filename: product/P0061540201OMS403SPECTR1000.FIT
- Obs ID: 0061540201 - Exp ID: 0061540201403 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 103.051251 - DEC: 74.4269445 - XY= [119, 48]
Start: 2001-03-27T10:40:44.000 - Stop: 2001-03-27T11:02:24.000 - Exp.time: 1300 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.03036447 - Aver.Err.= 8.8772×10^{-4}



BACKGROUND RATES - Mean value=0.01806589 - Aver.Err.= 9.7072×10^{-4}



XMM - OM - IMAGING - Filename: product/P0061540201OMS403SPECTR1000.FIT
- Obs ID: 0061540201 - Exp ID: 0061540201403 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 103.051251 - DEC: 74.4269445 - XY= [119, 48]
Start: 2001-03-27T10:40:44.000 - Stop: 2001-03-27T11:02:24.000 - Exp.time: 1300 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.49676341\text{E-}14$ - Aver.Err.= $5.58198227\text{E-}15$
Time dependent sensitivity correction=1.007

