



XMM - OM - IMAGING - Filename: product/P0103860701OMS417SPECTR1000.FIT  
- Obs ID: 0103860701 - Exp ID: 0103860701417 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 79.08750000000001 - DEC: -10.5611111 - XY= [ 122, 40] - Object: TARGET (RECOVER)  
Start: 2000-09-04T01:38:53.000 - Stop: 2000-09-04T01:55:31.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02749148 - Aver.Err.= $7.6503 \times 10^{-4}$



BACKGROUND RATES - Mean value=0.01880909 - Aver.Err.= $1.14803 \times 10^{-3}$



XMM - OM - IMAGING - Filename: product/P0103860701OMS417SPECTR1000.FIT  
- Obs ID: 0103860701 - Exp ID: 0103860701417 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 79.08750000000001 - DEC: -10.5611111 - XY= [ 122, 40] - Object: TARGET (RECOVER)  
Start: 2000-09-04T01:38:53.000 - Stop: 2000-09-04T01:55:31.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= 2.90817548E-14 - Aver.Err.= 6.04530676E-15

Time dependent sensitivity correction=1.004

