



XMM - OM - IMAGING - Filename: product/P0110010401OMS403SPECTR1000.FIT
- Obs ID: 0110010401 - Exp ID: 0110010401403 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 171.15 - DEC: -59.2666667 - XY= [104, 51] - Object: TARGET (RECOVERED)
Start: 2001-08-16T08:12:42.000 - Stop: 2001-08-16T09:26:02.000 - Exp.time: 4400 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.03649018 - Aver.Err.= 9.787×10^{-4}



BACKGROUND RATES - Mean value=0.04474435 - Aver.Err.= 6.5561×10^{-4}



XMM - OM - IMAGING - Filename: product/P0110010401OMS403SPECTR1000.FIT
- Obs ID: 0110010401 - Exp ID: 0110010401403 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 171.15 - DEC: -59.2666667 - XY= [104, 51] - Object: TARGET (RECOVERED)
Start: 2001-08-16T08:12:42.000 - Stop: 2001-08-16T09:26:02.000 - Exp.time: 4400 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.67796036 \times 10^{-14}$ - Aver.Err.= $2.92149562 \times 10^{-15}$
Time dependent sensitivity correction=1.007

