



XMM - OM - IMAGING - Filename: product/P0112771101OMS006SPECTR0000.FIT  
- Obs ID: 0112771101 - Exp ID: 0112771101006 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 187.275 - DEC: 2.0519444 - XY= [ 270, 56]  
Start: 2003-12-14T19:32:20.000 - Stop: 2003-12-14T20:55:39.000 - Exp.time: 5000 secs  
NB: The spectrum is likely to be contaminated by zero-order features (number of features: 1 )

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02860507 - Aver.Err.= $1.09601 \times 10^{-3}$



BACKGROUND RATES - Mean value= $8.28181 \times 10^{-3}$  - Aver.Err.= $6.1964 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0112771101OMS006SPECTR0000.FIT  
- Obs ID: 0112771101 - Exp ID: 0112771101006 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 187.275 - DEC: 2.0519444 - XY= [ 270, 56]  
Start: 2003-12-14T19:32:20.000 - Stop: 2003-12-14T20:55:39.000 - Exp.time: 5000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $7.93129668\text{E-}14$  - Aver.Err.=  $5.64701238\text{E-}15$

Time dependent sensitivity correction=1.020

