



XMM - OM - IMAGING - Filename: product/P0112780601OMS006SPECTR1000.FIT  
- Obs ID: 0112780601 - Exp ID: 0112780601006 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 14.804166 - DEC: -71.6472222 - XY= [ 98, 59] - Object: DUBIOUS TARGET (RE  
Start: 2001-04-29T20:55:50.000 - Stop: 2001-04-29T21:11:31.000 - Exp.time: 940 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0 - Aver.Err.= $3.253 \times 10^{-5}$



BACKGROUND RATES - Mean value= $9.36986 \times 10^{-3}$  - Aver.Err.= $8.8294 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0112780601OMS006SPECTR1000.FIT  
- Obs ID: 0112780601 - Exp ID: 0112780601006 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 14.804166 - DEC: -71.6472222 - XY= [ 98, 59] - Object: DUBIOUS TARGET (RE  
Start: 2001-04-29T20:55:50.000 - Stop: 2001-04-29T21:11:31.000 - Exp.time: 940 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $-6.38949182\text{E}-15$  - Aver.Err.=  $3.07922761\text{E}-16$

Time dependent sensitivity correction=1.007

