



XMM - OM - IMAGING - Filename: product/P0125321101OMS005SPECTR0000.FIT
- Obs ID: 0125321101 - Exp ID: 0125321101005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [201, 104] - Object: TARGET
Start: 2003-12-07T22:22:13.000 - Stop: 2003-12-07T22:38:52.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02054717 - Aver.Err.= 9.4155×10^{-4}



BACKGROUND RATES - Mean value= 1.48575×10^{-3} - Aver.Err.= 2.8098×10^{-4}



XMM - OM - IMAGING - Filename: product/P0125321101OMS005SPECTR0000.FIT
- Obs ID: 0125321101 - Exp ID: 0125321101005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [201, 104] - Object: TARGET
Start: 2003-12-07T22:22:13.000 - Stop: 2003-12-07T22:38:52.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $6.83087603\text{E}-15$ - Aver.Err.= $4.05844984\text{E}-16$

Time dependent sensitivity correction=1.018

