



XMM - OM - IMAGING - Filename: product/P0125321101OMS014SPECTR0000.FIT  
- Obs ID: 0125321101 - Exp ID: 0125321101014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [ 209, 134] - Object: TARGET  
Start: 2003-12-08T00:18:46.000 - Stop: 2003-12-08T00:35:26.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01042859 - Aver.Err.= $9.693 \times 10^{-4}$



BACKGROUND RATES - Mean value= $2.56341 \times 10^{-3}$  - Aver.Err.= $5.0116 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0125321101OMS014SPECTR0000.FIT  
- Obs ID: 0125321101 - Exp ID: 0125321101014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [ 209, 134] - Object: TARGET  
Start: 2003-12-08T00:18:46.000 - Stop: 2003-12-08T00:35:26.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $2.94146963 \times 10^{-14}$  - Aver.Err.=  $3.56976953 \times 10^{-15}$

Time dependent sensitivity correction=1.023

