



XMM - OM - IMAGING - Filename: product/P0125321301OMS005SPECTR0000.FIT
- Obs ID: 0125321301 - Exp ID: 0125321301005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [198, 98] - Object: TARGET
Start: 2004-11-24T09:50:56.000 - Stop: 2004-11-24T10:07:36.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02222306 - Aver.Err.= 9.8787×10^{-4}



BACKGROUND RATES - Mean value= 1.44753×10^{-3} - Aver.Err.= 2.7672×10^{-4}



XMM - OM - IMAGING - Filename: product/P0125321301OMS005SPECTR0000.FIT
- Obs ID: 0125321301 - Exp ID: 0125321301005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [198, 98] - Object: TARGET
Start: 2004-11-24T09:50:56.000 - Stop: 2004-11-24T10:07:36.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $7.45988439\text{E-}15$ - Aver.Err.= $4.34543122\text{E-}16$

Time dependent sensitivity correction=1.022

