



XMM - OM - IMAGING - Filename: product/P0125321501OMS014SPECTR0000.FIT  
- Obs ID: 0125321501 - Exp ID: 0125321501014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [ 211, 135] - Object: TARGET  
Start: 2005-11-17T01:44:21.000 - Stop: 2005-11-17T02:01:01.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= $9.19166 \times 10^{-3}$  - Aver.Err.= $9.0367 \times 10^{-4}$



BACKGROUND RATES - Mean value= $2.53139 \times 10^{-3}$  - Aver.Err.= $4.9801 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0125321501OMS014SPECTR0000.FIT  
- Obs ID: 0125321501 - Exp ID: 0125321501014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 12.513249 - DEC: -52.1381666 - XY= [ 211, 135] - Object: TARGET  
Start: 2005-11-17T01:44:21.000 - Stop: 2005-11-17T02:01:01.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $2.57001519\text{E-}14$  - Aver.Err.=  $3.22127816\text{E-}15$

Time dependent sensitivity correction=1.039

