



XMM - OM - IMAGING - Filename: product/P0125321601OMS005SPECTR0000.FIT  
- Obs ID: 0125321601 - Exp ID: 0125321601005 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [ 208, 99] - Object: TARGET  
Start: 2006-05-14T22:20:59.000 - Stop: 2006-05-14T22:37:40.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02045023 - Aver.Err.= $9.3839 \times 10^{-4}$



BACKGROUND RATES - Mean value= $1.43821 \times 10^{-3}$  - Aver.Err.= $2.7578 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0125321601OMS005SPECTR0000.FIT  
- Obs ID: 0125321601 - Exp ID: 0125321601005 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [ 208, 99] - Object: TARGET  
Start: 2006-05-14T22:20:59.000 - Stop: 2006-05-14T22:37:40.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $6.78475381\text{E-}15$  - Aver.Err.=  $4.08279357\text{E-}16$

Time dependent sensitivity correction=1.029

