



XMM - OM - IMAGING - Filename: product/P0134550501OMS407SPECTR1000.FIT  
- Obs ID: 0134550501 - Exp ID: 0134550501407 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 244.9791675 - DEC: -15.64 - XY= [ 104, 51] - Object: TARGET (RECOVERED)  
Start: 2001-02-27T23:56:24.000 - Stop: 2001-02-28T00:24:45.000 - Exp.time: 1700 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.03207224 - Aver.Err.= $1.15926 \times 10^{-3}$



BACKGROUND RATES - Mean value=0.02260638 - Aver.Err.= $7.8825 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0134550501OMS407SPECTR1000.FIT  
- Obs ID: 0134550501 - Exp ID: 0134550501407 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 244.9791675 - DEC: -15.64 - XY= [ 104, 51] - Object: TARGET (RECOVERED)  
Start: 2001-02-27T23:56:24.000 - Stop: 2001-02-28T00:24:45.000 - Exp.time: 1700 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= 2.17844812E-14 - Aver.Err.= 2.03604592E-15

Time dependent sensitivity correction=1.006

