



XMM - OM - IMAGING - Filename: product/P0155560201OMS005SPECTR0000.FIT  
- Obs ID: 0155560201 - Exp ID: 0155560201005 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 57.2087505 - DEC: -0.9744445 - XY= [ 240, 38]  
Start: 2002-08-12T21:35:31.000 - Stop: 2002-08-12T21:52:10.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01395465 - Aver.Err.= $1.81165 \times 10^{-3}$



BACKGROUND RATES - Mean value= $6.1274 \times 10^{-3}$  - Aver.Err.= $1.12701 \times 10^{-3}$



XMM - OM - IMAGING - Filename: product/P0155560201OMS005SPECTR0000.FIT  
- Obs ID: 0155560201 - Exp ID: 0155560201005 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 57.2087505 - DEC: -0.9744445 - XY= [ 240, 38]  
Start: 2002-08-12T21:35:31.000 - Stop: 2002-08-12T21:52:10.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= 3.89437695E-14 - Aver.Err.= 6.94169547E-15

Time dependent sensitivity correction=1.013

