



XMM - OM - IMAGING - Filename: product/P0212282801OMS015SPECTR0000.FIT
- Obs ID: 0212282801 - Exp ID: 0212282801015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8641667 - XY= [238, 69] - Object: TARGET
Start: 2006-02-16T19:34:40.000 - Stop: 2006-02-16T19:53:00.000 - Exp.time: 1100 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= 0.01321179 - Aver.Err.= 1.5787×10^{-3}



BACKGROUND RATES - Mean value= 5.95895×10^{-3} - Aver.Err.= 1.06022×10^{-3}



XMM - OM - IMAGING - Filename: product/P0212282801OMS015SPECTR0000.FIT
- Obs ID: 0212282801 - Exp ID: 0212282801015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8641667 - XY= [238, 69] - Object: TARGET
Start: 2006-02-16T19:34:40.000 - Stop: 2006-02-16T19:53:00.000 - Exp.time: 1100 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.44356093\text{E-}14$ - Aver.Err.= $6.83317615\text{E-}15$

Time dependent sensitivity correction=1.036

