



XMM - OM - IMAGING - Filename: product/P0212282801OMS017SPECTR0000.FIT
- Obs ID: 0212282801 - Exp ID: 0212282801017 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8641667 - XY= [238, 69] - Object: TARGET
Start: 2006-02-16T20:21:34.000 - Stop: 2006-02-16T20:40:00.000 - Exp.time: 1100 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01290852 - Aver.Err.= 1.54465×10^{-3}



BACKGROUND RATES - Mean value= 5.96441×10^{-3} - Aver.Err.= 1.06075×10^{-3}



XMM - OM - IMAGING - Filename: product/P0212282801OMS017SPECTR0000.FIT
- Obs ID: 0212282801 - Exp ID: 0212282801017 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8641667 - XY= [238, 69] - Object: TARGET
Start: 2006-02-16T20:21:34.000 - Stop: 2006-02-16T20:40:00.000 - Exp.time: 1100 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.13966482\text{E-}14$ - Aver.Err.= $6.51275713\text{E-}15$
Time dependent sensitivity correction=1.036

