



XMM - OM - IMAGING - Filename: product/P0302480501OMS008SPECTR9000.FIT  
 - Obs ID: 0302480501 - Exp ID: 0302480501008 - Filter: GRISM2 (Visual)  
 Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [ 607, 197] - Object: TARGET  
 Start: 2005-11-17T20:32:30.000 - Stop: 2005-11-17T21:05:50.000 - Exp.time: 2000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.0117127 - Aver.Err.= $4.4549 \times 10^{-4}$



BACKGROUND RATES - Mean value= $1.71914 \times 10^{-3}$  - Aver.Err.= $1.8037 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0302480501OMS008SPECTR9000.FIT  
- Obs ID: 0302480501 - Exp ID: 0302480501008 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [ 607, 197] - Object: TARGET  
Start: 2005-11-17T20:32:30.000 - Stop: 2005-11-17T21:05:50.000 - Exp.time: 2000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $3.81329320 \times 10^{-15}$  - Aver.Err.=  $2.48407208 \times 10^{-16}$

Time dependent sensitivity correction=1.020

