



XMM - OM - IMAGING - Filename: product/P0302480501OMS009SPECTR9000.FIT
- Obs ID: 0302480501 - Exp ID: 0302480501009 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [607, 197] - Object: TARGET
Start: 2005-11-17T21:54:18.000 - Stop: 2005-11-17T22:27:38.000 - Exp.time: 2000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01173406 - Aver.Err.= 4.4486×10^{-4}



BACKGROUND RATES - Mean value= 1.71555×10^{-3} - Aver.Err.= 1.8017×10^{-4}



XMM - OM - IMAGING - Filename: product/P0302480501OMS009SPECTR9000.FIT
- Obs ID: 0302480501 - Exp ID: 0302480501009 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [607, 197] - Object: TARGET
Start: 2005-11-17T21:54:18.000 - Stop: 2005-11-17T22:27:38.000 - Exp.time: 2000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $3.84241208\text{E}-15$ - Aver.Err.= $2.50101274\text{E}-16$

Time dependent sensitivity correction=1.020

