



XMM - OM - IMAGING - Filename: product/P0302480601OMS007SPECTR9000.FIT
- Obs ID: 0302480601 - Exp ID: 0302480601007 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [604, 196] - Object: TARGET
Start: 2005-11-20T01:39:15.000 - Stop: 2005-11-20T02:17:24.000 - Exp.time: 2290 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01093643 - Aver.Err.= 3.9382×10^{-4}



BACKGROUND RATES - Mean value= 1.74085×10^{-3} - Aver.Err.= 1.6964×10^{-4}



XMM - OM - IMAGING - Filename: product/P0302480601OMS007SPECTR9000.FIT
- Obs ID: 0302480601 - Exp ID: 0302480601007 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 208.2645405 - DEC: 69.3081111 - XY= [604, 196] - Object: TARGET
Start: 2005-11-20T01:39:15.000 - Stop: 2005-11-20T02:17:24.000 - Exp.time: 2290 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $3.62742156\text{E-}15$ - Aver.Err.= $2.30969050\text{E-}16$

Time dependent sensitivity correction=1.020

