



XMM - OM - IMAGING - Filename: product/P0410780801OMS017SPECTR0000.FIT  
- Obs ID: 0410780801 - Exp ID: 0410780801017 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0311111 - XY= [ 233, 55] - Object: TARGET  
Start: 2011-06-25T11:32:51.000 - Stop: 2011-06-25T11:49:36.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= $0.0470936$  - Aver.Err.= $3.04534 \times 10^{-3}$



BACKGROUND RATES - Mean value= $3.76301 \times 10^{-3}$  - Aver.Err.= $8.8874 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0410780801OMS017SPECTR0000.FIT  
- Obs ID: 0410780801 - Exp ID: 0410780801017 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0311111 - XY= [ 233, 55] - Object: TARGET  
Start: 2011-06-25T11:32:51.000 - Stop: 2011-06-25T11:49:36.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $1.57567806 \times 10^{-13}$  - Aver.Err.=  $1.50935342 \times 10^{-14}$

Time dependent sensitivity correction=1.077

