



XMM - OM - IMAGING - Filename: product/P0413580101OMS005SPECTR0000.FIT
- Obs ID: 0413580101 - Exp ID: 0413580101005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [211, 98] - Object: TARGET
Start: 2006-11-20T23:31:01.000 - Stop: 2006-11-20T23:47:41.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02186996 - Aver.Err.= 9.8805×10^{-4}



BACKGROUND RATES - Mean value= 1.42793×10^{-3} - Aver.Err.= 2.7551×10^{-4}



XMM - OM - IMAGING - Filename: product/P0413580101OMS005SPECTR0000.FIT
- Obs ID: 0413580101 - Exp ID: 0413580101005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [211, 98] - Object: TARGET
Start: 2006-11-20T23:31:01.000 - Stop: 2006-11-20T23:47:41.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $7.37541149\text{E-}15$ - Aver.Err.= $4.30379585\text{E-}16$

Time dependent sensitivity correction=1.031

