



XMM - OM - IMAGING - Filename: product/P0413580901OMS005SPECTR0000.FIT
- Obs ID: 0413580901 - Exp ID: 0413580901005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [207, 96] - Object: TARGET
Start: 2010-11-07T20:54:47.000 - Stop: 2010-11-07T21:11:27.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02029543 - Aver.Err.= 9.397×10^{-4}



BACKGROUND RATES - Mean value= 1.40724×10^{-3} - Aver.Err.= 2.7344×10^{-4}



XMM - OM - IMAGING - Filename: product/P0413580901OMS005SPECTR0000.FIT
- Obs ID: 0413580901 - Exp ID: 0413580901005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [207, 96] - Object: TARGET
Start: 2010-11-07T20:54:47.000 - Stop: 2010-11-07T21:11:27.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $6.90679940\text{E-}15$ - Aver.Err.= $4.15315686\text{E-}16$

Time dependent sensitivity correction=1.050

