



XMM - OM - IMAGING - Filename: product/P0414380201OMS011SPECTR0000.FIT
- Obs ID: 0414380201 - Exp ID: 0414380201011 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [236, 70] - Object: TARGET
Start: 2007-03-12T17:43:52.000 - Stop: 2007-03-12T18:12:12.000 - Exp.time: 1700 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01489387 - Aver.Err.= 1.29755×10^{-3}



BACKGROUND RATES - Mean value= 6.88671×10^{-3} - Aver.Err.= 9.2572×10^{-4}



XMM - OM - IMAGING - Filename: product/P0414380201OMS011SPECTR0000.FIT
- Obs ID: 0414380201 - Exp ID: 0414380201011 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [236, 70] - Object: TARGET
Start: 2007-03-12T17:43:52.000 - Stop: 2007-03-12T18:12:12.000 - Exp.time: 1700 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.43902930\text{E}-14$ - Aver.Err.= $5.32238404\text{E}-15$

Time dependent sensitivity correction=1.042

