



XMM - OM - IMAGING - Filename: product/P0414380801OMS007SPECTR0000.FIT  
 - Obs ID: 0414380801 - Exp ID: 0414380801007 - Filter: GRISM2 (Visual)  
 Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [ 231, 41] - Object: TARGET  
 Start: 2012-02-04T23:46:26.000 - Stop: 2012-02-05T00:06:26.000 - Exp.time: 1200 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= $0.03067923$  - Aver.Err.= $1.57404 \times 10^{-3}$



BACKGROUND RATES - Mean value= $2.56899 \times 10^{-3}$  - Aver.Err.= $5.0427 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0414380801OMS007SPECTR0000.FIT  
- Obs ID: 0414380801 - Exp ID: 0414380801007 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [ 231, 41] - Object: TARGET  
Start: 2012-02-04T23:46:26.000 - Stop: 2012-02-05T00:06:26.000 - Exp.time: 1200 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= 1.06197840E-14 - Aver.Err.= 7.81358830E-16  
Time dependent sensitivity correction=1.055

