



XMM - OM - IMAGING - Filename: product/P0414390701OMS008SPECTR0000.FIT
- Obs ID: 0414390701 - Exp ID: 0414390701008 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.5677778 - XY= [234, 76] - Object: TARGET
Start: 2009-12-23T18:42:01.000 - Stop: 2009-12-23T19:06:01.000 - Exp.time: 1440 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.05558571 - Aver.Err.= 2.43933×10^{-3}



BACKGROUND RATES - Mean value= 3.02169×10^{-3} - Aver.Err.= 6.6585×10^{-4}



XMM - OM - IMAGING - Filename: product/P0414390701OMS008SPECTR0000.FIT
- Obs ID: 0414390701 - Exp ID: 0414390701008 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.5677778 - XY= [234, 76] - Object: TARGET
Start: 2009-12-23T18:42:01.000 - Stop: 2009-12-23T19:06:01.000 - Exp.time: 1440 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.05415425 \times 10^{-13}$ - Aver.Err.= $8.71203710 \times 10^{-15}$
Time dependent sensitivity correction=1.060

