



XMM - OM - IMAGING - Filename: product/P0658000401OMS007SPECTR9000.FIT
- Obs ID: 0658000401 - Exp ID: 0658000401007 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.5677778 - XY= [622, 233] - Object: TARGET
Start: 2011-12-19T18:21:25.000 - Stop: 2011-12-19T18:38:09.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.03149341 - Aver.Err.= 1.22493×10^{-3}



BACKGROUND RATES - Mean value= 3.74157×10^{-3} - Aver.Err.= 5.0115×10^{-4}



XMM - OM - IMAGING - Filename: product/P0658000401OMS007SPECTR9000.FIT
- Obs ID: 0658000401 - Exp ID: 0658000401007 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.567778 - XY= [622, 233] - Object: TARGET
Start: 2011-12-19T18:21:25.000 - Stop: 2011-12-19T18:38:09.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= 5.90151707E-14 - Aver.Err.= 4.45601333E-15

Time dependent sensitivity correction=1.080

