



XMM - OM - IMAGING - Filename: product/P0658000501OMS008SPECTR0000.FIT
- Obs ID: 0658000501 - Exp ID: 0658000501008 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.5677778 - XY= [236, 81] - Object: DEFAULT EXTRACTION
Start: 2012-12-20T13:40:28.000 - Stop: 2012-12-20T14:12:08.000 - Exp.time: 1900 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.05541022 - Aver.Err.= 2.11096×10^{-3}



BACKGROUND RATES - Mean value= 3.15252×10^{-3} - Aver.Err.= 5.922×10^{-4}



XMM - OM - IMAGING - Filename: product/P0658000501OMS008SPECTR0000.FIT
- Obs ID: 0658000501 - Exp ID: 0658000501008 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.842083 - DEC: -24.5677778 - XY= [236, 81] - Object: DEFAULT EXTRACTION
Start: 2012-12-20T13:40:28.000 - Stop: 2012-12-20T14:12:08.000 - Exp.time: 1900 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.04743315 \times 10^{-13}$ - Aver.Err.= $7.78716775 \times 10^{-15}$
Time dependent sensitivity correction=1.079

