



XMM - OM - IMAGING - Filename: product/P0658000601OMS009SPECTR9000.FIT
- Obs ID: 0658000601 - Exp ID: 0658000601009 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.7029175 - DEC: -24.5102778 - XY= [621, 235] - Object: TARGET
Start: 2012-12-28T13:43:50.000 - Stop: 2012-12-28T14:00:34.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01590843 - Aver.Err.= 7.8061×10^{-4}



BACKGROUND RATES - Mean value= 5.01854×10^{-3} - Aver.Err.= 5.6895×10^{-4}



XMM - OM - IMAGING - Filename: product/P0658000601OMS009SPECTR9000.FIT
- Obs ID: 0658000601 - Exp ID: 0658000601009 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 32.7029175 - DEC: -24.5102778 - XY= [621, 235] - Object: TARGET
Start: 2012-12-28T13:43:50.000 - Stop: 2012-12-28T14:00:34.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $2.12736509 \times 10^{-14}$ - Aver.Err.= $2.44146405 \times 10^{-15}$

Time dependent sensitivity correction=1.079

