



XMM - OM - IMAGING - Filename: product/P06779810010MS010SPECTR0000.FIT
- Obs ID: 0677981001 - Exp ID: 0677981001010 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 344.4522915 - DEC: -1.6675556 - XY= [279, 40]
Start: 2011-06-13T11:18:36.000 - Stop: 2011-06-13T11:35:14.000 - Exp.time: 1000 secs
NB: The spectrum is likely to be contaminated by zero-order features (number of features: 2)

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= 3.6852×10^{-4} - Aver.Err.= 4.1846×10^{-4}



BACKGROUND RATES - Mean value= 5.83267×10^{-3} - Aver.Err.= 1.16897×10^{-3}



XMM - OM - IMAGING - Filename: product/P06779810010MS010SPECTR0000.FIT
- Obs ID: 0677981001 - Exp ID: 0677981001010 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 344.4522915 - DEC: -1.6675556 - XY= [279, 40]
Start: 2011-06-13T11:18:36.000 - Stop: 2011-06-13T11:35:14.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $3.32375347\text{E}-15$ - Aver.Err.= $2.33123351\text{E}-15$

Time dependent sensitivity correction=1.077

