



XMM - OM - IMAGING - Filename: product/P0701581201OMS005SPECTR0000.FIT
 - Obs ID: 0701581201 - Exp ID: 0701581201005 - Filter: GRISM2 (Visual)
 Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [205, 101] - Object: TARGET
 Start: 2013-11-16T02:56:38.000 - Stop: 2013-11-16T03:13:17.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01995731 - Aver.Err.= 9.3521×10^{-4}



BACKGROUND RATES - Mean value= 1.36812×10^{-3} - Aver.Err.= 2.6892×10^{-4}



XMM - OM - IMAGING - Filename: product/P0701581201OMS005SPECTR0000.FIT
- Obs ID: 0701581201 - Exp ID: 0701581201005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [205, 101] - Object: TARGET
Start: 2013-11-16T02:56:38.000 - Stop: 2013-11-16T03:13:17.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $6.87524150\text{E-}15$ - Aver.Err.= $4.17267170\text{E-}16$

Time dependent sensitivity correction=1.064

