



XMM - OM - IMAGING - Filename: product/P0701581901OMS005SPECTR0000.FIT  
- Obs ID: 0701581901 - Exp ID: 0701581901005 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [ 211, 100] - Object: TARGET  
Start: 2016-05-11T06:33:25.000 - Stop: 2016-05-11T06:50:04.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01996192 - Aver.Err.= $9.3927 \times 10^{-4}$



BACKGROUND RATES - Mean value= $1.33978 \times 10^{-3}$  - Aver.Err.= $2.6651 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0701581901OMS005SPECTR0000.FIT  
- Obs ID: 0701581901 - Exp ID: 0701581901005 - Filter: GRISM2 (Visual)  
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [ 211, 100] - Object: TARGET  
Start: 2016-05-11T06:33:25.000 - Stop: 2016-05-11T06:50:04.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $6.96055169\text{E-}15$  - Aver.Err.=  $4.23379201\text{E-}16$

Time dependent sensitivity correction=1.077

