



XMM - OM - IMAGING - Filename: product/P0727571101OMS015SPECTR0000.FIT  
- Obs ID: 0727571101 - Exp ID: 0727571101015 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0311111 - XY= [ 233, 56] - Object: DEFAULT EXTRACTION  
Start: 2013-07-02T02:59:46.000 - Stop: 2013-07-02T03:16:30.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04618407 - Aver.Err.= $3.01042 \times 10^{-3}$



BACKGROUND RATES - Mean value= $3.62597 \times 10^{-3}$  - Aver.Err.= $8.7481 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0727571101OMS015SPECTR0000.FIT  
- Obs ID: 0727571101 - Exp ID: 0727571101015 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0311111 - XY= [ 233, 56] - Object: DEFAULT EXTRACTION  
Start: 2013-07-02T02:59:46.000 - Stop: 2013-07-02T03:16:30.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $1.51456213 \times 10^{-13}$  - Aver.Err.=  $1.45587142 \times 10^{-14}$

Time dependent sensitivity correction=1.083

