



XMM - OM - IMAGING - Filename: product/P0747790801OMS014SPECTR0000.FIT  
- Obs ID: 0747790801 - Exp ID: 0747790801014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [ 230, 61] - Object: TARGET  
Start: 2017-02-18T19:10:19.000 - Stop: 2017-02-18T19:27:05.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01265442 - Aver.Err.= $1.58425 \times 10^{-3}$



BACKGROUND RATES - Mean value= $5.87151 \times 10^{-3}$  - Aver.Err.= $1.10525 \times 10^{-3}$



XMM - OM - IMAGING - Filename: product/P0747790801OMS014SPECTR0000.FIT  
- Obs ID: 0747790801 - Exp ID: 0747790801014 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 63.1812495 - DEC: 11.8636111 - XY= [ 230, 61] - Object: TARGET  
Start: 2017-02-18T19:10:19.000 - Stop: 2017-02-18T19:27:05.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $4.46072419\text{E-}14$  - Aver.Err.=  $7.15977130\text{E-}15$   
Time dependent sensitivity correction=1.108

