



XMM - OM - IMAGING - Filename: product/P0770782301OMS005SPECTR0000.FIT
- Obs ID: 0770782301 - Exp ID: 0770782301005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [202, 103] - Object: TARGET
Start: 2016-12-20T20:14:04.000 - Stop: 2016-12-20T20:30:43.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.02192924 - Aver.Err.= 1.00032×10^{-3}



BACKGROUND RATES - Mean value= 1.4114×10^{-3} - Aver.Err.= 2.7321×10^{-4}



XMM - OM - IMAGING - Filename: product/P0770782301OMS005SPECTR0000.FIT
- Obs ID: 0770782301 - Exp ID: 0770782301005 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.5146245 - DEC: -52.1376944 - XY= [202, 103] - Object: TARGET
Start: 2016-12-20T20:14:04.000 - Stop: 2016-12-20T20:30:43.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $7.73038267\text{E-}15$ - Aver.Err.= $4.56491519\text{E-}16$

Time dependent sensitivity correction=1.080

