



XMM - OM - IMAGING - Filename: product/P0810242101OMS031SPECTR0000.FIT
- Obs ID: 0810242101 - Exp ID: 0810242101031 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [240, 50] - Object: TARGET
Start: 2019-05-03T12:14:45.000 - Stop: 2019-05-03T12:31:31.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01088202 - Aver.Err.= 1.54216×10^{-3}



BACKGROUND RATES - Mean value= 2.84945×10^{-3} - Aver.Err.= 8.1193×10^{-4}



XMM - OM - IMAGING - Filename: product/P0810242101OMS031SPECTR0000.FIT
- Obs ID: 0810242101 - Exp ID: 0810242101031 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [240, 50] - Object: TARGET
Start: 2019-05-03T12:14:45.000 - Stop: 2019-05-03T12:31:31.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $4.28904518\text{E-}14$ - Aver.Err.= $7.40550318\text{E-}15$
Time dependent sensitivity correction=1.123

