



XMM - OM - IMAGING - Filename: product/P0810243901OMS023SPECTR0000.FIT
- Obs ID: 0810243901 - Exp ID: 0810243901023 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [198, 84]
Start: 2023-05-02T00:56:14.000 - Stop: 2023-05-02T01:13:00.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value= 0.02001365 - Aver.Err.= 1.40873×10^{-3}



BACKGROUND RATES - Mean value= 1.56036×10^{-3} - Aver.Err.= 4.3776×10^{-4}



XMM - OM - IMAGING - Filename: product/P0810243901OMS023SPECTR0000.FIT
- Obs ID: 0810243901 - Exp ID: 0810243901023 - Filter: GRISM2 (Visual)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [198, 84]
Start: 2023-05-02T00:56:14.000 - Stop: 2023-05-02T01:13:00.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $7.11705373\text{E-}15$ - Aver.Err.= $6.35837193\text{E-}16$
Time dependent sensitivity correction=1.113

