



XMM - OM - IMAGING - Filename: product/P0810244401OMS029SPECTR0000.FIT
- Obs ID: 0810244401 - Exp ID: 0810244401029 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [250, 45] - Object: TARGET
Start: 2024-11-22T07:50:09.000 - Stop: 2024-11-22T08:10:08.000 - Exp.time: 1200 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.01019941 - Aver.Err.= 1.3399×10^{-3}



BACKGROUND RATES - Mean value= 2.59394×10^{-3} - Aver.Err.= 7.0759×10^{-4}



XMM - OM - IMAGING - Filename: product/P0810244401OMS029SPECTR0000.FIT
- Obs ID: 0810244401 - Exp ID: 0810244401029 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 12.516249 - DEC: -52.1375 - XY= [250, 45] - Object: TARGET
Start: 2024-11-22T07:50:09.000 - Stop: 2024-11-22T08:10:08.000 - Exp.time: 1200 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $3.44214301\text{E}-14$ - Aver.Err.= $5.74365715\text{E}-15$
Time dependent sensitivity correction=1.164

