



XMM - OM - IMAGING - Filename: product/P0830800601OMS013SPECTR0000.FIT
- Obs ID: 0830800601 - Exp ID: 0830800601013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [250, 46] - Object: TARGET
Start: 2021-07-15T05:38:37.000 - Stop: 2021-07-15T05:55:17.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04891937 - Aver.Err.= 3.27913×10^{-3}



BACKGROUND RATES - Mean value= 4.21416×10^{-3} - Aver.Err.= 9.8914×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830800601OMS013SPECTR0000.FIT
- Obs ID: 0830800601 - Exp ID: 0830800601013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [250, 46] - Object: TARGET
Start: 2021-07-15T05:38:37.000 - Stop: 2021-07-15T05:55:17.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.81572083\text{E-}13$ - Aver.Err.= $1.77835584\text{E-}14$
Time dependent sensitivity correction=1.139

