



XMM - OM - IMAGING - Filename: product/P0830800801OMS013SPECTR0000.FIT
- Obs ID: 0830800801 - Exp ID: 0830800801013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [248, 45] - Object: TARGET
Start: 2023-07-03T00:21:53.000 - Stop: 2023-07-03T00:38:32.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04850086 - Aver.Err.= 3.26112×10^{-3}



BACKGROUND RATES - Mean value= 3.84795×10^{-3} - Aver.Err.= 9.4548×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830800801OMS013SPECTR0000.FIT
- Obs ID: 0830800801 - Exp ID: 0830800801013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [248, 45] - Object: TARGET
Start: 2023-07-03T00:21:53.000 - Stop: 2023-07-03T00:38:32.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.81856307\text{E}-13$ - Aver.Err.= $1.78481091\text{E}-14$
Time dependent sensitivity correction=1.153

