



XMM - OM - IMAGING - Filename: product/P0830800901OMS014SPECTR0000.FIT
- Obs ID: 0830800901 - Exp ID: 0830800901014 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [251, 44]
Start: 2024-07-18T01:31:30.000 - Stop: 2024-07-18T01:48:17.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.0473584 - Aver.Err.= 3.22099×10^{-3}



BACKGROUND RATES - Mean value= 4.29102×10^{-3} - Aver.Err.= 9.9858×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830800901OMS014SPECTR0000.FIT
- Obs ID: 0830800901 - Exp ID: 0830800901014 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [251, 44]
Start: 2024-07-18T01:31:30.000 - Stop: 2024-07-18T01:48:17.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.75399083\text{E-}13$ - Aver.Err.= $1.72575018\text{E-}14$
Time dependent sensitivity correction=1.161

