



XMM - OM - IMAGING - Filename: product/P08308009010MS015SPECTR0000.FIT
- Obs ID: 0830800901 - Exp ID: 0830800901015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [251, 44]
Start: 2024-07-18T01:53:17.000 - Stop: 2024-07-18T02:10:00.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04731583 - Aver.Err.= 3.21913×10^{-3}



BACKGROUND RATES - Mean value= 4.28393×10^{-3} - Aver.Err.= 9.9781×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830800901OMS015SPECTR0000.FIT
- Obs ID: 0830800901 - Exp ID: 0830800901015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [251, 44]
Start: 2024-07-18T01:53:17.000 - Stop: 2024-07-18T02:10:00.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.73820105\text{E-}13$ - Aver.Err.= $1.70927878\text{E-}14$
Time dependent sensitivity correction=1.161

