



XMM - OM - IMAGING - Filename: product/P0830801001OMS013SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [249, 45] - Object: TARGET
Start: 2025-07-16T15:25:56.000 - Stop: 2025-07-16T15:42:37.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04612217 - Aver.Err.= 3.17141×10^{-3}



BACKGROUND RATES - Mean value= 4.20113×10^{-3} - Aver.Err.= 9.8702×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830801001OMS013SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001013 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [249, 45] - Object: TARGET
Start: 2025-07-16T15:25:56.000 - Stop: 2025-07-16T15:42:37.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.73992480\text{E-}13$ - Aver.Err.= $1.72454197\text{E-}14$
Time dependent sensitivity correction=1.169

