



XMM - OM - IMAGING - Filename: product/P0830801001OMS015SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [249, 45] - Object: TARGET
Start: 2025-07-16T16:09:31.000 - Stop: 2025-07-16T16:26:19.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.0465804 - Aver.Err.= 3.19027×10^{-3}



BACKGROUND RATES - Mean value= 4.21686×10^{-3} - Aver.Err.= 9.8976×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830801001OMS015SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001015 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [249, 45] - Object: TARGET
Start: 2025-07-16T16:09:31.000 - Stop: 2025-07-16T16:26:19.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.74189412\text{E-}13$ - Aver.Err.= $1.72607374\text{E-}14$
Time dependent sensitivity correction=1.169

