



XMM - OM - IMAGING - Filename: product/P0830801001OMS019SPECTR0000.FIT  
- Obs ID: 0830801001 - Exp ID: 0830801001019 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [ 248, 45] - Object: TARGET  
Start: 2025-07-16T17:36:39.000 - Stop: 2025-07-16T17:53:26.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04623089 - Aver.Err.= $3.17441 \times 10^{-3}$



BACKGROUND RATES - Mean value= $4.21096 \times 10^{-3}$  - Aver.Err.= $9.8794 \times 10^{-4}$



XMM - OM - IMAGING - Filename: product/P0830801001OMS019SPECTR0000.FIT  
- Obs ID: 0830801001 - Exp ID: 0830801001019 - Filter: GRISM1 (UV)  
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [ 248, 45] - Object: TARGET  
Start: 2025-07-16T17:36:39.000 - Stop: 2025-07-16T17:53:26.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value=  $1.73028557\text{E-}13$  - Aver.Err.=  $1.72184400\text{E-}14$   
Time dependent sensitivity correction=1.169

