



XMM - OM - IMAGING - Filename: product/P0830801001OMS019SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001019 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [248, 45] - Object: TARGET
Start: 2025-07-16T17:36:39.000 - Stop: 2025-07-16T17:53:26.000 - Exp.time: 1000 secs

OM GRISM SPECTRA, BACKGROUND SUBTRACTED - Mean value=0.04623089 - Aver.Err.= 3.17441×10^{-3}



BACKGROUND RATES - Mean value= 4.21096×10^{-3} - Aver.Err.= 9.8794×10^{-4}



XMM - OM - IMAGING - Filename: product/P0830801001OMS019SPECTR0000.FIT
- Obs ID: 0830801001 - Exp ID: 0830801001019 - Filter: GRISM1 (UV)
Spec.No: 1 - ID: 001 - RA: 194.2595835 - DEC: 22.0302778 - XY= [248, 45] - Object: TARGET
Start: 2025-07-16T17:36:39.000 - Stop: 2025-07-16T17:53:26.000 - Exp.time: 1000 secs

FLUX, BACKGROUND SUBTRACTED - Mean value= $1.73028557\text{E-}13$ - Aver.Err.= $1.72184400\text{E-}14$
Time dependent sensitivity correction=1.169

